



The Largest Range of
Aluminum & Stainless Steel
Glass Railing
Systems

Company Profile

We are a Shreeji Glass team of young professionals:
Design, Supply and Build your Dreams of exterior and interiors of your loved Building / Projects.

The Shreeji Glass talented and Innovative team is working on shop design and build. Our professional team will schedule an in-person appointment with you to take space measurements, offer you design working your professional consultation. And we always put the best effort and materials to the satisfaction of our clients...
We are proud to announce that we have Built Good trust and satisfactory notes from our clientele. Through making a dream in to reality we have put forth our 7 years of continuous Learning and Build Innovations and have smiled with the client with every project we completed. We look forward to meet you in person and better understand your Requirements and take it forward.
Our experience is your Gain.





ALUMINIUM Semi GLASS

Shreeji Glass is a Explorer in India in terms of introducing aluminum based railing system.

These railing system are available in various designs- brackets type, continuous base profile, brackets with continuous cover profiles which comes with various forms of coatings like PVDF, powder-coating, wood finish that too with varied colors. These railing system support all kinds of glass thickness from 12mm to 19mm.

Shreeji Glass has product range which supports all kinds of structures such as floor mount, side mount and has even options for concealed space.



SG - 01 ALU



Advantages :



Ideal balconies, stairs and building enclosures for high architectural standards.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Continuous Base Profile Glass Supporting System

This system is an economically designed for floor mount glass supporting system with continuous aluminum base profile which allow the replacement of the glass without the damaging the system or the floor.
The system is compatible with glass of 10mm to 12mm thickness and 900mm height.



Assembly Steps :

1. Adjust and fasten continuous aluminum base profile.
2. Place and tighten the glass.
3. Fix the top rubber gasket and handrail.

Aluminium
Series

TOP MOUNT


SG - 02 ALU



Advantages :



It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Bracket Profile Glass Supporting System

It is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. It is an ideal solution for small balconies. Most economic but impressive and functional result with no view limit. The system is compatible with glass of 12mm to 15mm thickness and of 1000mm height.




Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.

Aluminium
Series

TOP MOUNT


SG - 03 ALU



Advantages :



It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Continuous Base Profile Glass Supporting System

This system is an economically designed for floor mount glass supporting system with continuous aluminum base profile which allow the replacement of the glass without the damaging the system or the floor.
The system is compatible with glass of 10mm to 12mm thickness and 900mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.

Aluminium
Series

TOP MOUNT


SG - 04 ALU



Advantages :



It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Bracket Profile Glass Supporting System

It is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. It is an ideal solution for small balconies. Most economic but impressive and functional result with no view limit. The system is compatible with glass of 12mm to 15mm thickness and of 1000mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.

Aluminium
Series

TOP MOUNT


SG - 06 ALU



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.



- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Aluminium
Series

Brackets with Continuous Cover Profile Glass Supporting System

The base supporting brackets are installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. The brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system. The brackets are covered with oval shape fascia profiles in anodized, PVD, wood as well as any other shades of powder coating. The system is compatible with glass of 12mm thickness and of 900mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.

TOP MOUNT


SG - 07 ALU



Advantages :



It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Continuous Base Profile Glass Supporting System

This system is an economically designed for floor mount glass supporting system with continuous aluminum base profile which allow the replacement of the glass without the damaging the system or the floor.
The system is compatible with glass of 10mm to 12mm thickness and 900mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.



SG - 08 ALU



**Continuous Base Profile
Glass Supporting System**

This system is on floor glass supporting system with continuous base aluminum profile which allow the replacement of the glass without the damaging the system or the floor.


The system is compatible with glass of 12mm to 15mm thickness and 1000mm height.



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.

**Aluminium
Series**

TOP MOUNT


SG - 09 ALU



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.





Aluminium
Series

TOP MOUNT

Brackets with Continuous Cover Profile Glass Supporting System

The base supporting brackets are installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. The brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system. The brackets are covered with oval shape fascia profiles in anodized, PVD, wood as well as any other shades of powder coating. The system is compatible with glass of 12mm thickness and of 900mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.


SG - 10 ALU



Advantages :



It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Brackets with Continuous Cover Profile Glass Supporting System

The base supporting brackets are installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. The brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system. The brackets are covered with oval shape fascia profiles in anodized, PVD, wood as well as any other shades of powder coating. The system is compatible with glass of 12mm thickness and of 900mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.


SG - 11 ALU



Advantages :



It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Brackets with Continuous Cover Profile Glass Supporting System

The base supporting brackets are installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. The brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system. The brackets are covered with oval shape fascia profiles in anodized, PVD, wood as well as any other shades of powder coating. The system is compatible with glass of 12mm thickness and of 900mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.


SG - 12 ALU



Advantages :



It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Brackets with Continuous Cover Profile Glass Supporting System

The base supporting brackets are installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. The brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system. The brackets are covered with oval shape fascia profiles in anodized, PVD, wood as well as any other shades of powder coating. The system is compatible with glass of 12mm thickness and of 900mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.


SG - 13 ALU



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.



- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Continuous Base Profile Glass Supporting System

This system is an economically designed for floor mount glass supporting system with continuous aluminum base profile which allow the replacement of the glass without the damaging the system or the floor.

The system is compatible with glass of 10mm to 12mm thickness and 900mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.


SG - 14 ALU



Advantages :



It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Brackets with Continuous Cover Profile Glass Supporting System

The base supporting brackets are installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. The brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system. The brackets are covered with oval shape fascia profiles in anodized, PVD, wood as well as any other shades of powder coating. The system is compatible with glass of 12mm thickness and of 900mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.



TOP MOUNT


SG - 15 ALU



Advantages :



It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Brackets with Continuous Cover Profile Glass Supporting System


The base supporting brackets are installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. The brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system. The brackets are covered with oval shape fascia profiles in anodized, PVD, wood as well as any other shades of powder coating. The system is compatible with glass of 12mm thickness and of 900mm height.



Assembly Steps :

1. Adjust and fasten the bases.
2. Fix the back cover & place the brace parts of the bases.
3. Place and tighten the glass.
4. Fix the front cover, cap and handrail.


SG - 16 ALU



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.


- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.




Bracket Profile Glass Supporting System

It is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. It is an ideal solution for small balconies .Most economic but impressive and functional result with no view limit.

The system is compatible with glass of 12mm thickness and of 1000mm height..



ENDCAP



SLOTTED

Assembly Steps :

1. Adjust and fasten the brackets.
2. Fix the brackets in proper alignments.
3. Place and tighten the glass.
4. Fix the top handrail.


SG - 17 ALU



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.


- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Bracket Profile Glass Supporting System

It is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. It is an ideal solution for small balconies .Most economic but impressive and functional result with no view limit.

The system is compatible with glass of 12mm thickness and of 1000mm height..



Assembly Steps :

1. Adjust and fasten the brackets.
2. Fix the brackets in proper alignments.
3. Place and tighten the glass.
4. Fix the top handrail.

Aluminium
Series



TOP MOUNT



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.



- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Bracket Profile Glass Supporting System

It is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. It is an ideal solution for small balconies .Most economic but impressive and functional result with no view limit.

The system is compatible with glass of 12mm thickness and of 1000mm height..



Assembly Steps :

1. Adjust and fasten the brackets.
2. Fix the brackets in proper alignments.
3. Place and tighten the glass.
4. Fix the top handrail.


SG - 18 ALU



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.


- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.




Bracket Profile Glass Supporting System

It is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. It is an ideal solution for small balconies .Most economic but impressive and functional result with no view limit.

The system is compatible with glass of 12mm thickness and of 1000mm height..



ENDCAP



SLOTTED

Assembly Steps :

1. Adjust and fasten the brackets.
2. Fix the brackets in proper alignments.
3. Place and tighten the glass.
4. Fix the top handrail.

Aluminium Series

TOP MOUNT


SG - 19 ALU



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.


- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.




Bracket Profile Glass Supporting System

It is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. It is an ideal solution for small balconies .Most economic but impressive and functional result with no view limit.

The system is compatible with glass of 12mm thickness and of 1000mm height..



ENDCAP



SLOTTED

Assembly Steps :

1. Adjust and fasten the brackets.
2. Fix the brackets in proper alignments.
3. Place and tighten the glass.
4. Fix the top handrail.

Aluminium Series

TOP MOUNT




SG - 20 ALU



Bracket Profile Glass Supporting System

It is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. It is an ideal solution for small balconies .Most economic but impressive and functional result with no view limit.


The system is compatible with glass of 12mm thickness and of 1000mm height..



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Assembly Steps :

1. Adjust and fasten the brackets.
2. Fix the brackets in proper alignments.
3. Place and tighten the glass.
4. Fix the top handrail.


SG - 16 ALU



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.



- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Bracket Profile Glass Supporting System

It is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. It is an ideal solution for small balconies .Most economic but impressive and functional result with no view limit.

The system is compatible with glass of 12mm thickness and of 1000mm height..



Assembly Steps :

1. Adjust and fasten the brackets.
2. Fix the brackets in proper alignments.
3. Place and tighten the glass.
4. Fix the top handrail.

Hand Rail & Accessories

Material Grade : Aluminium 6063




ROUND PIPE


Specification :

Size : 50 mm Round Pipe


With accessories




Pipe



Band



Wall Conceal



Cap




OVAL PIPE


Specification :

Size : 65 mm x 35 mm

With accessories




Pipe



Band



Wall Conceal



Cap




SQUARE PIPE


Specification :

Size : 50 mm x 50 mm


With accessories




Pipe



Band



Wall Conceal



Cap

Hand Rail & Accessories

Material Grade : Aluminium 6063




SLIM PIPE (WITH GASCUT)


Specification :

Size : 25 mm x 25 mm


With accessories



Pipe



Band



Wall Conceal



Cap




LED PIPE


Specification :

Size : 70 mm x 35 mm


With accessories




Pipe



Band



Wall Conceal



Cap




INCLINE PIPE


Specification :

Size : 82 mm x 38 mm


With accessories




Pipe



Band



Wall Conceal



Cap

Hand Rail & Accessories

Material Grade : Aluminium 6063




DUAL LED PIPE


Specification :

Size : 70 mm x 30 mm


With accessories



Pipe



Band



Cap




SLEEK PIPE


Specification :

Size : 36 mm x 41 mm

With accessories



Pipe



Band




SQUARE PIPE


Specification :

Size : 40 mm x 40 mm


With accessories




Pipe



Band



Wall Conceal



Cap

Hand Rail & Accessories

Material Grade : Aluminium 6063




ROUND PIPE


Specification :

Size : 65 mm Round


With accessories




Pipe



Band



Wall Conceal



Cap




COMMERCIAL PIPE

Specification :

Size : 45 mm x 60 mm

With accessories



Pipe



Cap




SLIM PIPE


Specification :

Size : 17 mm x 19 mm


With accessories



Pipe



Band



Wall Conceal



Cap

Hand Rail & Accessories

Material Grade : Aluminium 6063




SG - T13

U PIPE


Specification :

Size : 50 mm x 50 mm

With accessories



Pipe



Cap




SG - T14

RECTANGLE PIPE


Specification :

Size : 60 mm x 40 mm

With accessories



Pipe



Cap




SG - T15

TRIANGLE PIPE


Specification :

Size : 65 mm x 40 mm

With accessories



Pipe



Cap




SG - T16

CAPSULE PIPE


Specification :

Size : 35 mm x 70 mm

With accessories



Pipe



Cap



Shreeji Glass the state of art glass railing system is based on top quality standard. stainless steel railings for balconies, stairs and building enclosures with high architectural.

The stainless steel series offers impressive aesthetics, sturdiness and are maintenance free.

Shreeji Glass stainless steel series keeps up with the time by introducing varied for it's high profile customers. finish like gold, black, rose gold and bronze.

Stainless Steel


SG - 25 SS



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Stainless steel Series



Side Mount Point Glass Supporting System

Side Mount Point Glass Railing System can be used in both exterior and interior application such as Balconies, Cutouts, Terrace, Staircase etc.. This spigot can be core drilled on surface mounted depending on the application. There are two spigots per glass panel. This system is attractive by the fact that it can be used not only as the usual flat glass but also with the option of wooden handrail, which makes railing visual pleasant center of the home. By installing a new frame less glass railing in your home or commercial property, you are sure to bring that modern look and value in your property.



Black



Rose Gold



Gold



Assembly Steps :

1. Mark the surface where Point is to be fixed.
2. Drill the surface & fasten the spigot.
3. Place and tighten the glass.
4. Fix the top handrail.

TOP MOUNT




SG - 21 SS



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Top Mount Spigot Glass Supporting System

Top Mount Spigot Glass Railing System can be used in both exterior and interior application such as Balconies, Cutouts, Terrace, Staircase etc.. This spigot can be core drilled on surface mounted depending on the application. There are two spigots per glass panel. This system is attractive by the fact that it can be used not only as the usual flat glass but also with the option of wooden handrail, which makes railing visual pleasant center of the home. By installing a new frame less glass railing in your home or commercial property, you are sure to bring that modern look and value in your property.



Black



Rose Gold




Gold

Assembly Steps :

1. Mark the surface where spigot is to be fixed.
2. Drill the surface & fasten the spigot.
3. Place and tighten the glass.
4. Fix the top handrail.


SG - 22 SS



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Top Mount Spigot Glass Supporting System

Top Mount Spigot Glass Railing System can be used in both exterior and interior application such as Balconies, Cutouts, Terrace, Staircase etc.. This spigot can be core drilled on surface mounted depending on the application. There are two spigots per glass panel. This system is attractive by the fact that it can be used not only as the usual flat glass but also with the option of wooden handrail, which makes railing visual pleasant center of the home. By installing a new frame less glass railing in your home or commercial property, you are sure to bring that modern look and value in your property.



Black



Rose Gold



Gold

Assembly Steps :

1. Mark the surface where spigot is to be fixed.
2. Drill the surface & fasten the spigot.
3. Place and tighten the glass.
4. Fix the top handrail.

Stainless steel
Series

TOP MOUNT


SG - 23 SS



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



Top Mount Spigot Glass Supporting System

Top Mount Spigot Glass Railing System can be used in both exterior and interior application such as Balconies, Cutouts, Terrace, Staircase etc.. This spigot can be core drilled on surface mounted depending on the application. There are two spigots per glass panel. This system is attractive by the fact that it can be used not only as the usual flat glass but also with the option of wooden handrail, which makes railing visual pleasant center of the home. By installing a new frame less glass railing in your home or commercial property, you are sure to bring that modern look and value in your property.



Black



Rose Gold



Gold

Assembly Steps :

1. Mark the surface where spigot is to be fixed.
2. Drill the surface & fasten the spigot.
3. Place and tighten the glass.
4. Fix the top handrail.

TOP MOUNT


SG - 25 SS



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- Perfect aesthetic result.
- Unlimited view.
- Easy cleaning.
- Maintenance free.



Stainless steel
Series

Top Mount Spigot Glass Supporting System


Top Mount Spigot Glass Railing System can be used in both exterior and interior application such as Balconies, Cutouts, Terrace, Staircase etc.. This spigot can be core drilled on surface mounted depending on the application. There are two spigots per glass panel. This system is attractive by the fact that it can be used not only as the usual flat glass but also with the option of wooden handrail, which makes railing visual pleasant center of the home. By installing a new frame less glass railing in your home or commercial property, you are sure to bring that modern look and value in your property.



SS Matt

Rose Gold

Gold



Assembly Steps :

1. Mark the surface where Point is to be fixed.
2. Drill the surface & fasten the spigot.
3. Place and tighten the glass.
4. Fix the top handrail.

TOP MOUNT


SG - 25 SS



Advantages :

It is an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with no view limit.

- ↳ Perfect aesthetic result.
- ↳ Unlimited view.
- ↳ Easy cleaning.
- ↳ Maintenance free.



TOP MOUNT

Top Mount Baluster with Route Glass Supporting System

S Grip half baluster with routels can be used in both interior & exterior application, where the glass must have a space between the floor and the lower edge of glass. This railing system has two balusters to hold each glass panel.

The glass is hold up off of the ground by routels connected to the post. Each baluster must have a solid surface to drill down each post's base into the floor in order to support the railing.

A frame less glass railing will provide a polished sleek feeling that will make the space feel much bigger and stylish. look and value in your property.



Black

SS Matt

Rose Gold

Gold

Assembly Steps :

1. Mark the surface where Point is to be fixed.
2. Drill the surface & fasten the spigot.
3. Place and tighten the glass.
4. Fix the top handrail.

Steel Railing Modular Fittings





Always New...



+91 9898584302, +91 8866223950



shreejiglassjetpur@gmail.com



www.miraclesmirror.com



SHREEJI GLASS, Amaranagar Road,
Nr. Gurukrupa Ceramics, JETPUR- 360370